




SELF *Eco 100* **DATASHEET**

Service . Range . Knowledge


SELF ECO 100

Depth Options




Reference	Description	Length	Internal Width	Overall Width	Overall Depth(HI)	Internal Depth(DI)	Outlet
SELF.100.60	Self Eco 100 60mm Depth	1000mm	100mm	120mm	60mm	40mm	110mm
SELF.100.80	Self Eco 100 80mm Depth	1000mm	100mm	120mm	80mm	60mm	110mm
SELF.100.100	Self Eco 100 100mm Depth	1000mm	100mm	120mm	60mm	80mm	110mm

Paveslot



Reference	Description	Length (mm)	Slot Width	Overall Width	Load Class	Upstand (U)
SELF.100.GOP	Galvanised Offset Paveslot	1000	10	120	B125	60mm
SELF.100.SSOP	Stainless Steel Offset Paveslot	1000	10	120	B125	60mm

DATA SHEET



Galvanised Slotted Grating (A15) Galvanised SafeHeel Slotted Grating (A15) Longitudinal Steel Grating (A15) Mesh Steel Grating (B125) Plastic OvalGrip Grating (B125) Ductile Iron OvalGrip Grating (B125) KTL Frosted Ductile Iron Slotted (B125)

Grating - Specifications

Reference	Description	Length	Internal Width	Overall Width	Depth Options (mm)	Load Class	Safe Heel
SELF.100.GSG	Self Eco 100.60 + Galvanised Slotted Grating	1000mm	100mm	120mm	60/80/100	A	No
SELF.100.GSSG	Self Eco 100.60 + Galvanised SafeHeel Slotted Grating	1000mm	100mm	120mm	60/80/100	A	Yes
SELF.100.LSG	Self Eco 100.60 + Longitudinal Steel Grating	1000mm	100mm	120mm	60/80/100	A	No
SELF.100.MSG	Self Eco 100.60 + Mesh Steel Grating	1000mm	100mm	120mm	60/80/100	A/B	No
SELF.100.POG	Self Eco 100.60 + Plastic OvalGrip Grating	1000mm	100mm	120mm	60/80/100	A/B	No
SELF.100.DIOG	Self Eco 100.60 + Ductile Iron OvalGrip Grating	1000mm	100mm	120mm	60/80/100	A/B	No
SELF.100.D18SG	Self Eco 100.60 + Ductile Iron 8mm Slotted Grating	1000mm	100mm	120mm	60/80/100	A/B	Yes



Accessories- Specifications

Reference	Description	Length	Height (H)	Overall Width	Weight (KG)	Outlet
SELF.ECO.100.SU	Self Eco 100 Sump Unit	500mm	400mm	120mm	14.8kg	110mm
SELF.ECO.100.S110	Self Eco 100 110 Spigot	110mm	100mm	110mm	0.8kg	110mm
SELF.ECO.100.FT	Self Eco 100 Foul Trap	30mm	150mm	110mm	0.6kg	-
SELF.ECO.100.ECO	Self Eco 100 End Cap Outlet	22mm	160mm	120mm	0.7kg	110mm
SELF.ECO.100.EC	Self Eco 100 End Cap	25mm	100mm	120mm	0.4kg	-



Polycon Surface Water Drainage

**Widnes Business Park
Foundry Lane
Widnes
Cheshire
WA8 8UB**

**www.polycon.co.uk
0151 422 9747
sales@polycon.co.uk**

Service . Range . Knowledge