




8LOX 150 F900

DATASHEET

Service . Range . Knowledge

8LOX 150 F900

The 8LOX drainage channel is a game-changer in the world of drainage solutions. Its innovative design combined with its polymer concrete with ductile iron components, offers unparalleled durability and resilience. The eight-point locking mechanism, easy-installation, and exceptional stability make the 8LOX standout choice for a wide array of applications, from pedestrian zones to industrial facilities.



Accessories



End Cap
Front/Back

End Caps can be used at the end of your channel run to stop the flow of water.



End Cap Outlet

An End Cap Outlet can be used at the end of the run to allow water to be taken to your exterior drainage pipes and away from the channel.



Sump Unit


A Sump Unit can be used as an access point to the channel, allowing for any maintenance checks. However, it also acts as a reservoir, temporarily storing excess water before discharging it in a controlled manner to prevent adverse effects of water accumulation.

DATA SHEET

Depth Options

8LOX 150 Ductile Iron Edge Rail - Specifications

Reference	Description	Pallet Quantity	Length	Internal Width	Overall Width	Overall Depth(HI)	Internal Depth(DI)	Load Class	Safe Heel
8L.150.190.DIER	8LOX 150.190 - Ductile Iron Edge Rail	30	1000mm	150mm	195mm	190mm	170mm	A-F	Yes
8L.150.215.DIER	8LOX 150.215 - Ductile Iron Edge Rail	30	1000mm	150mm	195mm	215mm	195mm	A-F	Yes
8L.150.240.DIER	8LOX 150.240 - Ductile Iron Edge Rail	30	1000mm	150mm	195mm	240mm	220mm	A-F	Yes
8L.150.290.DIER	8LOX 150.290 - Ductile Iron Edge Rail	24	1000mm	150mm	195mm	290mm	270mm	A-F	Yes



Ductile Iron Grating
(F900)

Grating - Specification

Reference	Description	Length	Height (H)	Overall Width
8L.150.DIG.F900	8LOX 150 Ductile Iron Grating F900	1000mm	30mm	180mm

Accessories- Specifications

Reference	Description	Length	Height (H)	Overall Width	Weight (KG)	Outlet
8L.150.SU.DIER	8LOX 150 Sump Unit Ductile Iron Edge Rail	500mm	600mm	195mm	44kg	160mm
8L.150.190.ECO.DIER	8LOX 150.190 End Cap Outlet Ductile Iron Edge Rail	40mm	190mm	195mm	-	160mm
8L.150.215.ECO.DIER	8LOX 150.215 End Cap Outlet Ductile Iron Edge Rail	40mm	215mm	195mm	-	160mm
8L.150.240.ECO.DIER	8LOX 150.240 End Cap Outlet Ductile Iron Edge Rail	40mm	240mm	195mm	-	160mm
8L.150.290.ECO.DIER	8LOX 150.290 End Cap Outlet Ductile Iron Edge Rail	40mm	290mm	195mm	-	160mm
8L.150.190.EC.GER	8LOX 150.190 End Cap Galvanised Edge Rail	40mm	190mm	195mm	-	-
8L.150.215.EC.DIER	8LOX 150.215 End Cap Ductile Iron Edge Rail	40mm	215mm	195mm	-	-
8L.150.240.EC.DIER	8LOX 150.240 End Cap Ductile Iron Edge Rail	40mm	240mm	195mm	-	-
8L.100.290.EC.DIER	8LOX 150.290 End Cap Ductile Iron Edge Rail	40mm	290mm	195mm	-	-



Polycon Surface Water Drainage

**Widnes Business Park
Foundry Lane
Widnes
Cheshire
WA8 8UB**

**www.polycon.co.uk
0151 422 9747
sales@polycon.co.uk**

Service . Range . Knowledge